

AXRTEC

Contact Information

NINGBO EIMAGE STUDIO EQUIPMENT CO., LTD

Address: No.1230 South Cihai Rd,Luotuo Industry zone, Zhenhai,
Ningbo, China. 315202

Tel:86-574-86590061,86-574-86590031

Fax:86-574-86590078

E-mail: sales@eimagevideo.com

AXRTEC

PROFESSIONAL VIDEO TRIPOD



AH10 65mm Bowl size



- 3.0kg
6.6lbs
- 750g
1.7lbs
- Fixed
- Fixed
- Fixed
- 65mm
- 70°/
+90°
- 40°/
+80°



1 Smooth fluid for both pan&tilt



2 Quick release plate



3 Additional standard 1/4" screw holes



4 Built-in bubble level for quick leveling

AH20 65mm Bowl size



- 4.0kg
8.8lbs
- 1100g
2.4lbs
- Fixed
- Fixed
- Fixed
- 65mm
- 70°/
+90°
- 40°/
+80°



1 Tilt drag adjustment



2 Quick release plate



3 Separate locking for both pan & tilt



4 Built-in bubble level for quick leveling

AH30 75mm Bowl size




- 5.0kg
11.0lbs
- 1120g Continuous
2.5lbs adjustable
- Fixed
- Fixed
- Fixed
- 75mm
- 70°/
+90°
- 40°/
+80°



1 Smooth fluid for both pan&tilt



2 Adjustable counterbalance



3 Quick release plate



4 Built-in bubble level for quick leveling


AH50 65mm Bowl size



- 3.0kg
6.6lbs
- 1000g
2.2lbs
- Fixed
- Fixed
- Fixed
- 65mm
- 60°/
+90°
- 40°/
+80°



1 Smooth fluid for both pan&tilt



2 Universal 501PL plate



3 Separate locking for both pan & tilt



4 Built-in bubble level for quick leveling


AH60 75mm Bowl size



- 4.0kg
8.8lbs
- 1400g
3.1lbs
- Fixed
- Fixed
- Variable
- 75mm
- 50°/
+90°
- 40°/
+80°



1 Tilt drag adjustment



2 Universal 501PL plate



3 Separate locking for both pan & tilt



4 Built-in bubble level for quick leveling

AH70 75mm Bowl size



- 5.0kg
11.0lbs
- 1700g
3.7lbs
- Fixed
- Fixed
- Variable
- 75mm
- 60°/
+90°
- 40°/
+80°



1 Tilt drag adjustment



2 Universal 501PL plate




3 Additional standard 1/4" screw holes



4 Built-in bubble level for quick leveling

AH500 65mm Bowl size




- 4.0kg
8.8lbs
- 1300g
2.9lbs
- Installed
- Fixed
- Fixed
- 65mm
- 65°/
+80°
- 30°/
+60°

AH600 75mm Bowl size



- 8.0kg
17.6lbs
- 1900g
4.2lbs
- 0-2
- Fixed
- Fixed
- 75mm
- 45°/
+90°
- 30°/
+60°

AH80 75mm Bowl size



- 8.0kg
17.6lbs
- 1700g
3.7lbs
- Fixed
- Fixed
- Variable
- 75mm
- 45°/
+90°
- 30°/
+60°

AH630 75mm Bowl size



- 8.0kg
17.6lbs
- 2100g
4.6lbs
- 0-2
- 0-3
- 0-3
- 75mm
- 45°/
+90°
- 30°/
+60°

AH800 100mm Bowl size



Smooth fluid for both pan&tilt



5 steps of counterbalance



Quick release plate



Built-in bubble level for quick leveling

- 12.0kg
26.5lbs
- 2700g
6.0lbs
- 0-5
- Fixed
- Fixed
- 100mm
- 50°/
+90°
- 30°/
+60°


AH90 100mm Bowl size



Adjustable counterbalance



Quick release plate



Additional standard 1/4" screw holes



Illuminated leveling bubble

- 10.0kg
22.0lbs
- 2450g
5.4lbs
- Continuous adjustable
- Fixed
- Fixed
- 100mm
- 50°/
+90°
- 20°/
+60°

AH830 100mm Bowl size



3 plus 0 grades of pan & tilt drag



5 steps of counterbalance



Quick release plate



Built-in bubble level for quick leveling

- 12.0kg
26.5lbs
- 2900g
6.4lbs
- 0-5
- 0-3
- 0-3
- 100mm
- 50°/
+90°
- 30°/
+60°

AH900 100mm Bowl size



Smooth fluid for both pan&tilt



5 steps of counterbalance



60mm sliding plate with dials



Built-in bubble level for quick leveling

- 15.0kg
33.1lbs
- 3500g
7.7lbs
- 0-8
- 0
- 0
- 100mm
- 60°/
+90°
- 30°/
+60°

AT10 65mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 177.0cm
69.7in
- 71.0cm
28.0in
- 74.0cm
29.1in
- Aluminum
- 3

AT20 65mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 176.0cm
69.3in
- 71.5cm
28.1in
- 75.0cm
29.5in
- Aluminum
- 3

AT500 65mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 149.0cm
58.7in
- 65.5cm
25.8in
- 70.0cm
27.6in
- Aluminum
- 3

AT600 75mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 149.0cm
58.7in
- 66.0cm
26.0in
- 70.0cm
27.6in
- Aluminum
- 3

AT30 75mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 174.0cm
68.5in
- 69.5cm
27.4in
- 73.5cm
28.9in
- Aluminum
- 3

AT40 75mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 176.0cm
69.3in
- 71.5cm
28.1in
- 75.0cm
29.5in
- Aluminum
- 3

AT650 75mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 149.0cm
58.7in
- 65.0cm
25.6in
- 69.5cm
27.4in
- Aluminum
- 3

AT800 100mm Aluminum Video Tripod



- 60.0kg
132.3lbs
- 155.0cm
61.0in
- 40.0cm
15.7in
- 72.0cm
28.3in
- Aluminum
- 3

AT50 65mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 151.5cm
59.6in
- 59.5cm
23.4in
- 69.5cm
27.4in
- Aluminum
- 3

AT60 75mm Aluminum Video Tripod



- 40.0kg
88.2lbs
- 154.5cm
60.8in
- 64.5cm
25.4in
- 70.0cm
27.6in
- Aluminum
- 3



AXR308 Lightweight Tripod



Smooth fluid head for both pan & tilt

Quick release plate



Geared center column with lever

Additional standard 1/4" screw holes

- 171.0cm
67.3in
- 63.0cm
24.8in
- 69.5cm
27.4in
- 6.0kg
13.2lbs
- 2160g
4.8lbs

VT10 Video Tripod System



- 190.0cm
74.8in
- 81.0cm
31.9in
- 85.0cm
33.5in
- 3.0kg
6.6lbs
- 2860g
6.3lbs
- 65mm

Component:

Fluid head	AH10
Tripod	AT10

VT20 Video Tripod System



- 189.0cm
74.4in
- 83.0cm
32.7in
- 86.0cm
32.5in
- 4.0kg
8.8lbs
- 4400g
9.7lbs
- 65mm

Component:

Fluid head	AH20
Tripod	AT20

AXR309 Lightweight Tripod



Smooth fluid for both pan&tilt

Quick release plate



Built-in bubble level for quick leveling

Geared center column with lever

- 208.0cm
81.9in
- 67.5cm
26.7in
- 72.0cm
28.3in
- 7.0kg
15.4lbs
- 2300g
5.1lbs

VT30 Video Tripod System



- 188.0cm
74.0in
- 82.0cm
32.3in
- 84.0cm
33.1in
- 5.0kg
11.0lbs
- 3400g
7.5lbs
- 75mm

Component:

Fluid head	AH30
Tripod	AT30

VT40 Video Tripod System



- 188.0cm
74.0in
- 83.0cm
32.7in
- 86.5cm
34.1in
- 5.0kg
11.0lbs
- 4600g
10.1lbs
- 65mm

Component:

Fluid head	AH30
Tripod	AT40

VT50 Video Tripod System










 161.0cm
63.4in
 3.0kg
6.6lbs
 71.0cm
28.0in
 3500g
7.7lbs
 81.0cm
31.9in
 65mm

Component:

Fluid head	AH50
Tripod	AT50

VT60 Video Tripod System










 184.0cm
72.4in
 4.0kg
8.8lbs
 78.0cm
30.7in
 4300g
9.5lbs
 81.0cm
31.9in
 75mm

Component:

Fluid head	AH60
Tripod	AT60

VT80 Video Tripod System



 168.0cm
66.4in
 8.0kg
17.6lbs
 74.5cm
29.3in
 6400g
14.1lbs
 84.5cm
33.3in
 75mm

Component:

Fluid head	AH80
Tripod	AT600

VT500 Video Tripod System



 149.5cm
58.9in
 4.0kg
8.8lbs
 77.5cm
30.5in
 4800g
10.6lbs
 81.5cm
32.1in
 65mm

Component:

Fluid head	AH500
Tripod	AT500

VT65 Video Tripod System



 160.0cm
63.0in
 4.0kg
8.8lbs
 76.5cm
30.1in
 4460g
9.8lbs
 80.5cm
31.7in
 75mm

Component:

Fluid head	AH60
Tripod	AT650

VT70 Video Tripod System



 167.0cm
65.7in
 5.0kg
11.0lbs
 76.0cm
29.9in
 4600g
10.1lbs
 83.0cm
32.7in
 75mm

Component:

Fluid head	AH70
Tripod	AT60

VT600 Video Tripod System



 162.0cm
63.8in
 8.0kg
17.6lbs
 79.0cm
31.1in
 5400g
11.9lbs
 83.0cm
32.7in
 75mm

Component:

Fluid head	AH600
Tripod	AT600

VT630 Video Tripod System



 163.0cm
64.2in
 8.0kg
17.6lbs
 80.0cm
31.5in
 5600g
12.3lbs
 84.0cm
33.1in
 75mm

Component:

Fluid head	AH630
Tripod	AT600

VT690 Video Tripod System



-  170.0cm
66.9in
-  10.0kg
22.0lbs
-  51.0cm
20.1in
-  10.2kg
22.5lbs
-  85.0cm
33.3in
-  100mm

Component:

Fluid head	AH90
Tripod	AT800




VT800 Video Tripod System






-  169.5cm
66.7in
-  12.0kg
26.5lbs
-  54.5cm
21.5in
-  6800g
15.0lbs
-  86.5cm
34.1in
-  100mm

Component:

Fluid head	AH800
Tripod	AT800








VM10 Monopod

-  146.0cm
57.5in
-  2.5kg
5.5lbs
-  57.0cm
22.4in
-  995g
2.2lbs
-  57.5cm
22.6in









VM20 Monopod

-  160.0cm
63.0in
-  5.0kg
11.0lbs
-  61.0cm
24.0in
-  1315g
2.9lbs
-  61.0cm
24.0in



VT830 Video Tripod System







-  170.5cm
67.1in
-  12.0kg
26.5lbs
-  55.5cm
21.9in
-  7100g
15.7lbs
-  87.5cm
34.4in
-  100mm

Component:

Fluid head	AH830
Tripod	AT800




VT900 Video Tripod System






-  160.0cm
63.0in
-  15.0kg
33.1lbs
-  82.5cm
32.5in
-  7700g
17.0lbs
-  104.0cm
40.9in
-  100mm


Component:

Fluid head	AH900
Tripod	AT800








VM50A Monopod


-  190.0cm
74.8in
-  4.0kg
8.8lbs
-  76.0cm
29.9in
-  2385g
5.3lbs
-  76.5cm
30.1in



Aluminum

VM50C Monopod

-  190.0cm
74.8in
-  4.0kg
8.8lbs
-  76.0cm
29.9in
-  2085g
4.6lbs
-  76.5cm
30.1in



Carbon fiber

