

AXRTEC

AXRTEC



Contact Information

NINGBO EIMAGE STUDIO EQUIPMENT CO., LTD

Address: No.1230 South Cihai Rd,Luotuo Industry zone, Zhenhai,
Ningbo, China. 315202

Tel:86-574-86590061,86-574-86590031

Fax:86-574-86590078

E-mail: sales@eimagevideo.com

Kit For Live Streaming & Vlogging


www.axrtec.com




AXR-10
Table Top Tripod

Specification

Panoramic rotation:360°
 Net Weight:150g/0.3lbs
 Max.Height:16cm/6.3in
 Min.Height:11cm/4.3in
 Transport Length:20.5cm/8.1in
 Payload:1kg/2.2lbs



2-IN-1 Clip Design



AXR-30
Flexible Tripod

Specification

Panoramic rotation:360°
 Net Weight:350g/0.8lbs
 Transport Length:26.5cm/10.4in
 Payload:1.5kg/3.3lbs



AXR-20
Flexible Tripod

Specification

Panoramic rotation:360°
 Net Weight:280g/0.6lbs
 Transport Length:25.5cm/10.0in
 Payload:1.5kg/3.3lbs




AXR-40
Flexible Tripod

Specification

Net Weight:280g/0.6lbs
 Material:Aluminum
 Max.Height:67cm/26.4in
 Min.Height:22cm/8.7in
 Transport Length:26.5cm/10.4in
 Payload:1.5kg/0.3lbs
 Sections:5





AXR-380
Mini Tripod

Specification

Net Weight:350g/0.8lbs

Material:Aluminum

Max.Height:63cm/24.8in


Min.Height:28cm/11.0in

Transport Length:29cm/11.4in

Payload:1.5kg/0.3lbs

Sections:4

Max Leg Dia.:16.8mm/0.7in



AXR-520
Lightweight Tripod

Specification

Net Weight:920g/2.0lbs

Material:Aluminum

Max.Height:139cm/54.7in

Min.Height:55cm/21.7in

Transport Length:57.5cm/22.6in

Payload:3kg/6.6lbs

Sections:3

Max Leg Dia.:21.2mm/0.8in



AXR-510
Lightweight Tripod

Specification

Net Weight:580g/1.3lbs

Material:Aluminum

Max.Height:136.5cm/53.7in

Min.Height:41.5cm/16.3in

Transport Length:41cm/16.1in

Payload:3kg/6.6lbs

Sections:4

Max Leg Dia.:17.5mm/0.5in



AXR-540
Lightweight Tripod

Specification

Net Weight:1280g/2.8lbs

Material:Aluminum

Max.Height:160cm/63.0in

Min.Height:60cm/23.6in

Transport Length:62cm/24.4in

Payload:3kg/6.6lbs

Sections:3

Max Leg Dia.:25*19.2mm/1*0.8in





CB110
Camera Bag

Specification

Inner Size:40x19x24cm / 15.7x7.5x9.4in
 External Max.Size:44x21x26.5cm / 17.3x8.3x10.4in
 Weight:2.6kg / 5.7lbs
 Fabric:Water-proof Wearable 1680D nylon



CB130
Camera Bag

Specification

Inner Size:49.5x26x26cm / 19.5x10.2x10.2in
 External Max.Size:58x33x29cm / 20.5x13.0x11.4in
 Weight:3.3kg / 7.3lbs
 Fabric:Water-proof Wearable 1680D nylon



CB120
Camera Bag

Specification

Inner Size:42x20x22cm / 16.5x7.9x8.7in
 External Max.Size:52x23x24cm / 20.5x9.1x9.4in
 Weight:1.5kg / 3.3lbs
 Fabric:Water-proof Wearable 1680D nylon



CB140
Camera Bag

Specification

Inner Size:62x16x30cm / 24.4x6.3x11.8in
 External Max.Size:64x18x31cm / 25.2x7.1x12.2in
 Weight:3.6kg / 7.9lbs
 Fabric:Water-proof Wearable 1680D nylon





E-8
On-camera LED Light

Specification

Working Voltage:DC 3.0V
Power: 5.5W
Average Life time:5000H
Color Temperature: 6000K
Illuminance: 800Lm
Illumination angle: 60°
Applicable batteries: Two AA(5) batteries
Net Weight: 65g/0.1lbs
Size:80mm*67mm*32mm



M1010
Clip-on Lavalier Microphone
(For SmartPhone & Camera)

Specification

Element:Back Electret Condenser
Polar Pattern:Omni-directional
Frequency Response:30Hz-20kHz
Sensitivity: -32dB±3dB(0dB=1V/Pa at 1kHz)
Equivalent Noise Level:22dBA
Max.Input SPL:130dB(THD≤1.5% at 1kHz)
Output Interface:2.2KΩ±30%(at 1kHz)
Power Requirements:DC1.5V-5V



EM-01
Extension Mount

Specification



Length: 18cm/7.1in
Net Weight:100g/0.2lbs



EM-01L
L-Shaped Extension Mount

Specification


Net Weight:200g/0.4lbs



MD-21C
Camera Microphone

Specification

Element:Electret Condenser
Polar Pattern:Hyper-Cardioid
Frequency Response:40Hz-16kHz
Capsule Diameter:12mm
Sensitivity(±4dB):-50dB(3.2mV/Pa)
S/N ratio:≥55dB More than 55dB
Impedance:≤2.2k Less than 2.2k
Power Requirements:Plug-in power capacity,plug and play
Operating Temperature:-20°C+50°C
Weight:40g/0.1lbs
Length:φ13x72mm



MD-21S
SmartPhone & Ipad Microphone

Specification


Element:Electret Condenser
Polar Pattern:Hyper-Cardioid
Frequency Response:40Hz-16kHz
Capsule Diameter:12mm
Sensitivity(±4dB):-50dB(3.2mV/Pa)
S/N ratio:≥55dB More than 55dB
Impedance:≤2.2k Less than 2.2k
Power Requirements:Plug-in power capacity,plug and play
Operating Temperature:-20°C+50°C
Weight:40g/0.1lbs
Length:φ13x72mm



PH01
Phone Holder

Specification

Length: 8-11cm/3.1-4.3in
Net Weight:20g/0.1lbs



PH01M
Phone Holder

Specification


Length: 7.5-10cm/3.0-3.9in
Net Weight:50g/0.1lbs
Material:Metal



PH02
Phone Holder

Specification

Length: 7-10cm/2.8-3.9in
Net Weight:30g/0.1lbs



PH03
Phone Holder

Specification

Length: 5.7-10.5cm/2.2-4.1in
Net Weight:75g/0.2lbs



PH05
Two Clip Phone Holder



PH06
Three Clip Phone Holder



BT01
Bluetooth Remote Control



BT02
Bluetooth Remote Control



VK-01

Includes

AXR-10 Table Top Tripod	X1
PH01 Phone Holder	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-01A

Includes

AXR-10 Table Top Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-08

Includes

AXR-40 Table Top Tripod	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-08A

Includes

AXR-40 Table Top Tripod	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-02

Includes

AXR-20 Table Top Tripod	X1
PH01 Phone Holder	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-02A

Includes

AXR-20 Table Top Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-03

Includes

AXR-30 Table Top Tripod	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-03A

Includes

AXR-30 Table Top Tripod	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-05M

Includes

AXR-510 Lightweight Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
M1010 Microphone	X1



VK-04

Includes

AXR-380 Mini Tripod	X1
PH01 Phone Holder	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-04A

Includes

AXR-380 Mini Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
MD-21S Microphone	X1



VK-06

Includes

AXR-520 Lightweight Tripod	X1
PH01 Phone Holder	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21C Microphone	X1



VK-06A

Includes

AXR-520 Lightweight Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
MD-21C Microphone	X1



VK-05

Includes

AXR-510 Lightweight Tripod	X1
PH01 Phone Holder	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21C Microphone	X1



VK-05A

Includes

AXR-510 Lightweight Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
MD-21C Microphone	X1



VK-07

Includes

AXR-540 Lightweight Tripod	X1
PH01 Phone Holder	X1
EM-01 Extension Mount	X1
E-8 LED Light	X1
MD-21C Microphone	X1



VK-07A

Includes

AXR-540 Lightweight Tripod	X1
PH01 Phone Holder	X1
E-8 LED Light	X1
MD-21C Microphone	X1



EL-6
LED Light

Specification

LED:72PCS
Max. Powe:8W
Power Source:USB 5V/2A
Dimming:10%-100%
Color Temperature:2700k/5500k/6500k
Illumination Range:≤1m



EL-18
LED Light

Specification

LED:480PCS
Max. Powe:48W
DC Input Power:DC 5V/4A
AC Input Power:AC 110-240V
CRI:≥95
TLCI:95+
Luminous Flux:4000lm
Illuminance:600Lux@1m, 1900Lux@0.5m
Beam Angle:120°
Dimming:20%-100%
Color Temperature:3200k/5600k



EL-12
LED Light


Specification

LED:162PCS
Max. Powe:10W
DC Input Power:DC 5V/2A (USB)
CRI:≥80
TLCI:80
Luminous Flux:480lm
Illuminance:100Lux@1m, 400Lux@0.5m
Beam Angle:120°
Dimming:10%-100%
Color Temperature:3000k/4000k/6500k
Net Weight:324g / 0.7lbs
Package weight:630g / 1.4lbs
Dimensions:30*30*30cm / 11.8*11.8*1.2in
Box Dimensions:31.5*36*3.5cm / 12.4*14.2*13.2in
Fixture Mount:1/4"-20 Female Thread



DS01
Folding Desktop Light Stand

Specification
Net Weight:140g/0.3lbs



WT-8025
LED Light

Specification

Carrying Length:48cm / 18.9in
Max. Working Height:190cm / 74.8in
Min. Working Height:48cm / 18.9in
Max. Dia:25mm / 1in
Net Weight:0.9kg / 2.0lbs
Payload:3kg / 6.6lbs
Material:Aluminum
Sections:4



EL-12KS

Includes

DS01 Folding Desktop Light Stand	X1
EL-12 LED Light	X1



EL-12KM

Includes

WT-8025 Foldable Light Stand	X1
EL-12 LED Light	X1
M1010 Microphone	X1



EL-18KM

Includes

WT-8025 Foldable Light Stand	X1
EL-18 LED Light	X1
M1010 Microphone	X1



EL-12K

Includes

WT-8025 Foldable Light Stand	X1
EL-12 LED Light	X1



EL-18K

Includes

WT-8025 Foldable Light Stand	X1
EL-18 LED Light	X1

AA100 Mini Ball Head



 1kg
 2.2lbs
 80g
 0.2lbs
 6.5cm
 2.6in

AA108 Mini Ball Head



 3kg
 6.6lbs
 110g
 0.2lbs
 7.0cm
 2.8in



AA200 Pinch Clamp



 4kg
 8.8lbs
 190g
 0.4lbs
 11.5cm
 4.5in

AA205 Super Clamp



 10kg
 22lbs
 445g
 1.0lbs




AA300 Mini Articulating Arm



 1.5kg
 3.3lbs
 30g
 0.1lbs
 7cm
 2.8in




AA301 Mini Articulating Arm



 2kg
 4.4lbs
 65g
 0.1lbs
 9cm
 3.5in



AA303 7" Articulating Arm



 3kg
 6.6lbs
 190g
 0.4lbs
 18cm
 7.1in

AA305 11" Articulating Arm



 3kg
 6.6lbs
 240g
 0.5lbs
 28cm
 11in

AA306 21" Super Magic Arm



 4kg
 8.8lbs
 1000g
 2.2lbs
 53cm
 20.9in



AA306K Super Magic Arm Kit



Component: EI-A26 + EI-A25



Clapperboards

AA401
Clapperboards

 Size: 23.5X28cm / 9.3x11in
 Net Weight: 530g / 1.2lbs





AA402
Clapperboards

 Size: 23.5X28cm / 9.3x11in
 Net Weight: 530g / 1.2lbs





AA403
Clapperboards

 Size: 23.5X28cm / 9.3x11in
 Net Weight: 530g / 1.2lbs



AA404
Clapperboards

 Size: 23.5X28cm / 9.3x11in
 Net Weight: 530g / 1.2lbs



AA500 V-lock Camcorder Adapter



760g
1.7lbs


AA510 Solid Muslin Background

This impact muslin background is great for both studio and location work. Made from quality muslin, muslin backgrounds, available in a variety of colors: green, black, white, blue.

3X6m / 118.1x236.2in



AA515 / AA520 Green Screen



AA515

Size: 165x200cm / 65.0x78.7in

Net Weight: 10kg / 22.0lbs

AA520

Size: 200x200cm / 78.7x78.7in

Net Weight: 11.4kg / 25.1lbs

